



## Retail Order Form

USA Effective January 1, 2026 Date: \_\_\_\_\_

### Portable User Specifications

Height Range up to 36"  
Weight Limit 36 lbs  
Approximate Age 0 - 3 Years

### Bill To (Ultimate Medical Supplier Only)

Purchase Order #: \_\_\_\_\_

Quote #: \_\_\_\_\_

Account #: \_\_\_\_\_

Ordered By: \_\_\_\_\_

Name of ATP (Required): \_\_\_\_\_

Supplier Company: \_\_\_\_\_

Address: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Payer Source: \_\_\_\_\_

### Ship To

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

City, State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Tag For: \_\_\_\_\_

Email form to [webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com)



Ph: 800.342.8968 or 507.697.6393

Fax: 877.342.8968 or 507.697.6900

[webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com) [zingstanders.com](http://zingstanders.com)

## Portable Packages

Note: The default items will be added if no selection is made.

☐ **PK520 MPS Package** DEFAULT ..... **\$5,114**

The MPS package includes: (no substitutions)

Base, Mast with Leg Abduction, Multi-Adjustable Foot Plates, Foot Straps, Multi-Adjustable Knee Pads, Pelvic Form to Fit Pad, **(Prone)** Upper Body Form to Fit Pad, Positioning Tray, **(Supine)** Upper Body Form to Fit Pad, and Head Support.

☐ **PK521 Supine Package** ..... **\$4,327**

The Supine package includes: (no substitutions)

Base, Mast with Leg Abduction, Multi-Adjustable Foot Plates, Foot Straps, Multi-Adjustable Knee Pads, Pelvic Form to Fit Pad, Upper Body Form to Fit Pad, Black Molded Swing-Away Tray and Head Support.

☐ **PK522 Prone Package** ..... **\$3,767**

The Prone package includes: (no substitutions)

Base, Mast with Leg Abduction, Multi-Adjustable Foot Plates, Foot Straps, Multi-Adjustable Knee Pads, Pelvic Form to Fit Pad, Upper Body Form to Fit Pad, Multi-Adjustable Black Molded Tray and Head Support.

## Retail Order Form

USA Effective January 1, 2026 Date: \_\_\_\_\_

### MPS Size 1 User Specifications

Height Range up to 44"  
Weight Limit 70 lbs

### Bill To (Ultimate Medical Supplier Only)

Purchase Order #: \_\_\_\_\_

Quote #: \_\_\_\_\_

Account #: \_\_\_\_\_

Ordered By: \_\_\_\_\_

Name of ATP (Required): \_\_\_\_\_

Supplier Company: \_\_\_\_\_

Address: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Payer Source: \_\_\_\_\_

### Ship To

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

City, State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Tag For: \_\_\_\_\_

Email form to [webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com)



**AltimateMedical**  
creating products · changing lives

Ph: 800.342.8968 or 507.697.6393

Fax: 877.342.8968 or 507.697.6900

[webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com) [zingstanders.com](http://zingstanders.com)

# MPS Size 1 Packages

Note: The default items will be added if no selection is made.

### Select one one Color

Frame Color (select one)

- ☐ Green DEFAULT ☐ White  
☐ Purple ☐ Orange

### ☐ PK402 Moderate Support Package.....\$7,422

The moderate support package includes: (no substitutions)

Mast with Leg Abduction, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pad or Multi-Adjustable Knee Pads, Multi-Adjustable Calf Pad, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap, Planar Upper Body Pad, Lateral Supports, Chest Vest with High Mount Chest Vest Bracket, Head Support, Black Molded Swing Away Tray, Forearm Wings, Push Handle, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position Lockout.

#### Chest Pad (select one)

- ☐ Pivoting Chest Pad ☐ Small Chest Pad DEFAULT

#### Multi-Adjustable Foot Holders (select one, pair)

- ☐ 6"Lx3"W ☐ 7.75"Lx3.25"W DEFAULT ☐ 9.75"Lx4"W

#### Secure Foot Straps (select one, length over top of foot, two pair)

- ☐ 8"L ☐ 10"L DEFAULT

#### Knee Pads (select one)

- ☐ Multi-Adjustable Knee Pads

(select one pad size by inside width below)

Symmetrical Pad: ☐ 2.5" ☐ 3.25" DEFAULT ☐ 4.25" ☐ 5"

Asymmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" ☐ 5"

#### Multi-Adjustable Calf Pads (select one, inside width)

- ☐ 3.5" DEFAULT ☐ 4.5"

#### Pelvic Support-Planar Pad (select one)

- ☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT

#### Upper Body Support-Planar Pad (select one)

- ☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT ☐ 7"Hx7"W ☐ 7"Hx9"W

#### Lateral Supports (select one)

- ☐ 7"-11"W Range (select pad style below)  
☐ Square Pads DEFAULT ☐ Flat Pads ☐ Curved Pads

- ☐ Lateral Supports with Elbow Stop 7"-11"W Range  
☐ Elbow Stop with Arm Rest 7"-11"W Range

#### Chest Support (select one)

- ☐ X-Style 9.5"Lx9"W DEFAULT ☐ X-Style 11"Lx9.5"W  
☐ X-Style Non-Stretch 9.5"Lx9"W ☐ X-Style Non-Stretch 11"Lx9.5"W

#### Head Support (select one)

- ☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit DEFAULT

### ☐ PK403 Maximum Support Package.....\$7,789

The maximum support package includes: (no substitutions)

Mast with Leg Abduction, Dual Control, Gas Spring Lift Lockout, Directional Locking Caster, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pads or Multi-Adjustable Swing-Away Knee Pads, Multi-Adjustable Calf Pad, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap, Planar Upper Body Pad, Lateral Supports, Chest Vest with High Mount Chest Vest Bracket, Head Support, Swing Away Tray, Forearm Wings, Push Handle, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position Lockout.

#### Chest Pad (select one)

- ☐ Pivoting Chest Pad ☐ Small Chest Pad DEFAULT

#### Multi-Adjustable Foot Holders (select one, pair)

- ☐ 6"Lx3"W ☐ 7.75"Lx3.25"W DEFAULT ☐ 9.75"Lx4"W

#### Secure Foot Straps (select one, length over top of foot, two pair)

- ☐ 8"L ☐ 10"L DEFAULT

#### Knee Pads (select one)

- ☐ Multi-Adjustable Knee Pads

- ☐ Multi-Adjustable Swing-Away Knee Pads

(select one pad size by inside width below)

Symmetrical Pad: ☐ 2.5" ☐ 3.25" DEFAULT ☐ 4.25" ☐ 5"

Asymmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" ☐ 5"

#### Multi-Adjustable Calf Pads (select one, inside width)

- ☐ 3.5" DEFAULT ☐ 4.5"

#### Pelvic Support-Planar Pad (select one)

- ☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT

#### Upper Body Support-Planar Pad (select one)

- ☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT ☐ 7"Hx7"W ☐ 7"Hx9"W

#### Lateral Supports (select one)

- ☐ 7"-11"W Range (select pad style below)  
☐ Square Pads DEFAULT ☐ Flat Pads ☐ Curved Pads

- ☐ Lateral Supports with Elbow Stop 7"-11"W Range  
☐ Elbow Stop with Arm Rest 7"-11"W Range

#### Chest Support (select one)

- ☐ X-Style 9.5"Lx9"W DEFAULT ☐ X-Style 11"Lx9.5"W  
☐ X-Style Non-Stretch 9.5"Lx9"W ☐ X-Style Non-Stretch 11"Lx9.5"W

#### Head Support (select one)

- ☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit DEFAULT

#### Swing Away Tray (select one)

- ☐ Black Molded 11"Lx19"W ☐ Clear Tray-11"Lx19"W DEFAULT

## Retail Order Form

USA Effective January 1, 2026 Date: \_\_\_\_\_

### MPS TT Size 1 User Specifications

Height Range up to 44"  
Weight Limit 70 lbs

### Bill To (Ultimate Medical Supplier Only)

Purchase Order #: \_\_\_\_\_

Quote #: \_\_\_\_\_

Account #: \_\_\_\_\_

Ordered By: \_\_\_\_\_

Name of ATP (Required): \_\_\_\_\_

Supplier Company: \_\_\_\_\_

Address: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Payer Source: \_\_\_\_\_

### Ship To

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

City, State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Tag For: \_\_\_\_\_

Email form to [webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com)



**AltimateMedical**  
creating products · changing lives

Ph: 800.342.8968 or 507.697.6393

Fax: 877.342.8968 or 507.697.6900

[webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com) [zingstanders.com](http://zingstanders.com)

# MPS TT Size 1 Packages

Note: The default items will be added if no selection is made.

### Select one one Color

Frame Color (select one)

☐ Green DEFAULT ☐ White  
☐ Purple ☐ Orange

### ☐ PK405 Moderate Support Package.....\$7,419

The moderate support package includes: (no substitutions)

Mast with Leg Abduction, Multi-Adjustable Foot Plates, Secure Foot Straps, Knee Pads, Planar Pelvic/Upper Body Pad, Hip Supports, Padded Positioning Strap, Lateral Supports, Chest Vest with High Mount Chest Vest Bracket, Head Support, Black Molded Swing Away Tray, Forearm Wings, Push Handle, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position Lockout.

#### Chest Pad (select one)

☐ Pivoting Chest Pad ☐ Small Chest Pad DEFAULT

#### Multi-Adjustable Foot Holders (select one, pair)

☐ 6"Lx3"W ☐ 7.75"Lx3.25"W DEFAULT ☐ 9.75"Lx4"W

#### Secure Foot Straps (select one, length over top of foot, two pair)

☐ 8"L ☐ 10"L DEFAULT

#### Knee Pads (select one)

☐ Multi-Adjustable Knee Pads

(select one pad size by inside width below)

Symmetrical Pad: ☐ 2.5" ☐ 3.25" DEFAULT ☐ 4.25" ☐ 5"

Asymmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" ☐ 5"

#### Multi-Adjustable Calf Pads (select one, inside width)

☐ 3.5" DEFAULT ☐ 4.5"

#### Pelvic/Upper Body Support-Planar Pad (select one)

☐ 14"Hx14"W ☐ 16"Hx14"W DEFAULT ☐ 18"Hx14"W

#### Lateral Supports (select one)

☐ 4"-8"W Range (select pad style below)

☐ Square Pads ☐ Flat Pads ☐ Curved Pads

☐ 7"-11"W Range (select pad style below)

☐ Square Pads ☐ Flat Pads DEFAULT ☐ Curved Pads

#### Chest Support (select one)

☐ X-Style 9.5"Lx9"W DEFAULT ☐ X-Style 11"Lx9.5"W

☐ X-Style Non-Stretch 9.5"Lx9"W ☐ X-Style Non-Stretch 11"Lx9.5"W

#### Head Support (select one)

☐ Planar Pad 8"Hx8.5"W ☐ 5"Hx8"W

☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit DEFAULT

### ☐ PK406 Maximum Support Package.....\$7,921

The maximum support package includes: (no substitutions)

Mast with Leg Abduction, Dual Control, Gas Spring Lift Lockout, Directional Locking Caster, Multi-Adjustable Foot Plates, Secure Foot Straps, Planar Leg Pads, Multi-Adjustable Knee Pads or Multi-Adjustable Swing-Away Knee Pad, Planar Pelvic/Upper Body Pad, Hip Supports, Padded Positioning Strap, Lateral Supports, Chest Vest with High Mount Chest Vest Bracket, Head Support, Swing Away Tray, Forearm Wings, Push Handle, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position Lock Out.

#### Chest Pad (select one)

☐ Pivoting Chest Pad ☐ Small Chest Pad DEFAULT

#### Multi-Adjustable Foot Holders (select one, pair)

☐ 6"Lx3"W ☐ 7.75"Lx3.25"W DEFAULT ☐ 9.75"Lx4"W

#### Secure Foot Straps (select one, length over top of foot, two pair)

☐ 8"L ☐ 10"L DEFAULT

#### Leg Support-Planar Pad (select one)

☐ 4"Hx6"W ☐ 6"Hx6"W DEFAULT ☐ 8"Hx6"W

#### Knee Pads (select one)

☐ Multi-Adjustable Knee Pads

☐ Multi-Adjustable Swing-Away Knee Pads

(select one pad size by inside width below)

Symmetrical Pad: ☐ 2.5" ☐ 3.25" DEFAULT ☐ 4.25" ☐ 5"

Asymmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" ☐ 5"

#### Pelvic/Upper Body Support-Planar Pad (select one)

☐ 14"Hx14"W ☐ 16"Hx14"W DEFAULT ☐ 18"Hx14"W

#### Lateral Supports (select one)

☐ 4"-8"W Range (select pad style below)

☐ Square Pads ☐ Flat Pads ☐ Curved Pads

☐ 7"-11"W Range (select pad style below)

☐ Square Pads ☐ Flat Pads DEFAULT ☐ Curved Pads

#### Chest Support (select one)

☐ X-Style 9.5"Lx9"W DEFAULT ☐ X-Style 11"Lx9.5"W

☐ X-Style Non-Stretch 9.5"Lx9"W ☐ X-Style Non-Stretch 11"Lx9.5"W

#### Head Support (select one)

☐ Planar Pad 8"Hx8.5"W ☐ 5"Hx8"W

☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit DEFAULT

#### Swing Away Tray (select one)

☐ Black Molded 11"Lx19"W ☐ Clear Tray-11"Lx19"W DEFAULT

## Retail Order Form

USA Effective January 1, 2026 Date: \_\_\_\_\_

### Prone Size 1 User Specifications

Height Range up to 44"  
Weight Limit 70 lbs

### Bill To (Ultimate Medical Supplier Only)

Purchase Order #: \_\_\_\_\_

Quote #: \_\_\_\_\_

Account #: \_\_\_\_\_

Ordered By: \_\_\_\_\_

Name of ATP (Required): \_\_\_\_\_

Supplier Company: \_\_\_\_\_

Address: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Payer Source: \_\_\_\_\_

### Ship To

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

City, State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Tag For: \_\_\_\_\_

Email form to [webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com)



**AltimateMedical**  
creating products · changing lives

Ph: 800.342.8968 or 507.697.6393

Fax: 877.342.8968 or 507.697.6900

[webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com) [zingstanders.com](http://zingstanders.com)

## Prone Size 1 Packages

Note: The default items will be added if no selection is made.

### Select one one Color

Frame Color (select one)

- ☐ Green DEFAULT ☐ White  
☐ Purple ☐ Orange

### ☐ PK408 Moderate Support Package.....\$6,695

The moderate support package includes: (no substitutions)

Mast with Leg Abduction, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pads, Knee Strap, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap (2), Planar Upper Body Pad, Lateral Supports, Face Aperture, Multi-Adjustable Black Molded Tray, Forearm Wings, Push Handle for Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver.

Multi-Adjustable Foot Plates (select one, pair)

- ☐ 6"Lx3"W ☐ 7.75"Lx3.25"W DEFAULT ☐ 9.75"Lx4"W

Secure Foot Straps (select one, length over top of foot, two pair)

- ☐ 8"L ☐ 10"L DEFAULT

Knee Pads (select one)

☐ Multi-Adjustable Knee Pads

(select one pad size by inside width below)

Symmetrical Pad: ☐ 2.5" ☐ 3.25" DEFAULT ☐ 4.25" ☐ 5"

Asymmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" ☐ 5"

Pelvic Support-Planar Pad (select one)

- ☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT

Upper Body Support-Planar Pad (select one)

- ☐ 5"Hx5"W ☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT  
☐ 7"Hx7"W ☐ 7"Hx9"W

Lateral Supports (select one)

- ☐ 4"-8"W Range (select pad style below)  
☐ Square Pads ☐ Flat Pads ☐ Curved Pads

- ☐ 7"-11"W Range (select pad style below)  
☐ Square Pads DEFAULT ☐ Flat Pads ☐ Curved Pads

### ☐ PK409 Maximum Support Package.....\$7,062

The maximum support package includes: (no substitutions)

Mast with Leg Abduction, Dual Control, Gas Spring Lift Lockout, Directional Locking Caster, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pads, Knee Strap, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap (2), Planar Upper Body Pad, Lateral Supports, Face Aperture, Multi-Adjustable Tray, Forearm Wings, Push Handle for Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver.

Multi-Adjustable Foot Plates (select one, pair)

- ☐ 6"Lx3"W ☐ 7.75"Lx3.25"W DEFAULT ☐ 9.75"Lx4"W

Secure Foot Straps (select one, length over top of foot, two pair)

- ☐ 8"L ☐ 10"L DEFAULT

Knee Pads (select one)

☐ Multi-Adjustable Knee Pads

(select one pad size by inside width below)

Symmetrical Pad: ☐ 2.5" ☐ 3.25" DEFAULT ☐ 4.25" ☐ 5"

Asymmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" ☐ 5"

Pelvic Support-Planar Pad (select one)

- ☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT

Upper Body Support-Planar Pad (select one)

- ☐ 5"Hx5"W ☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT  
☐ 7"Hx7"W ☐ 7"Hx9"W

Lateral Supports (select one)

- ☐ 4"-8"W Range (select pad style below)  
☐ Square Pads ☐ Flat Pads ☐ Curved Pads

- ☐ 7"-11"W Range (select pad style below)  
☐ Square Pads DEFAULT ☐ Flat Pads ☐ Curved Pads

Multi-Adjustable Tray (select one)

- ☐ Black Molded 11"Lx19"W ☐ Clear Tray-11"Lx19"W DEFAULT

## Retail Package Order Form

USA Effective January 1, 2026 Date: \_\_\_\_\_

### MPS Size 2 User Specifications

Height Range 32"-60"

Weight Limit 154 lbs.

### Bill To (Altimate Medical Supplier Only)

Purchase Order #: \_\_\_\_\_

Quote #: \_\_\_\_\_

Account #: \_\_\_\_\_

Ordered By: \_\_\_\_\_

Name of ATP (Required): \_\_\_\_\_

Supplier Company: \_\_\_\_\_

Address: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Payer Source: \_\_\_\_\_

### Ship To

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

City, State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Tag For: \_\_\_\_\_

Email form to [webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com)



**AltimateMedical**  
creating products · changing lives

Ph: 800.342.8968 or 507.697.6393

Fax: 877.342.8968 or 507.697.6900

[webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com) [zingstanders.com](http://zingstanders.com)

## MPS Size 2 Packages

Note: The default items will be added if no selection is made.

### Select one one Color

Frame Color (select one)

- ☐ Green DEFAULT ☐ White  
☐ Purple ☐ Orange

### ☐ PK414 Moderate Support Package.....\$8,582

The moderate support package includes: (no substitutions)

Mast with Leg Abduction, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pads, Multi-Adjustable Calf Pads, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap, Planar Upper Body Pad, Lateral Supports, Chest Vest with High Mount Chest Vest Bracket, Head Support, Black Molded Swing Away Tray, Elbow Pad, Push Handle, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position Lockout.

#### Chest Pad (select one)

- ☐ Pivoting Chest Pad ☐ Small Chest Pad DEFAULT

#### Multi-Adjustable Foot Plates (select one, pair)

- ☐ 6"Lx3"W ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W DEFAULT ☐ 11.75"Lx5"W

#### Secure Foot Straps (select one, length over top of foot, two pair)

- ☐ 8"L ☐ 10"L ☐ 15"L DEFAULT ☐ 21"L

#### Knee Pads (select one)

- ☐ Multi-Adjustable Knee Pads

(select one pad size by inside width below)

Symmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5"

Asymmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5"

#### Multi-Adjustable Calf Pads (select one, inside width)

- ☐ 3.5" ☐ 4.5" DEFAULT ☐ 5.5"

#### Pelvic Support-Planar Pad (select one)

- ☐ 10"Hx11"W ☐ 10"Hx13"W DEFAULT

#### Hip Supports (select one range)

- ☐ 7"-13" ☐ 12"-18" DEFAULT

#### Upper Body Support-Planar Pad (select one)

- ☐ 8"Hx8"W ☐ 8"Hx11"W ☐ 8"Hx13"W DEFAULT

#### Lateral Supports (select one)

- ☐ Narrow Range (select pad style below)

(5"-7"W range w/8"Hx8"W pad, 7"-11"W range w/8"Hx11"W pad, 9"-13" W range w/8"Hx13"W pad)

- ☐ Flat Pads ☐ Curved Pads

- ☐ Wide Range (select pad style below)

(8"-10"W range w/8"Hx8"W pad, 10"-14"W range w/8"Hx11"W pad, 8"-13" W range w/8"Hx13"W pad)

- ☐ Flat Pads ☐ Curved Pads DEFAULT

- ☐ Lateral Supports with Elbow Stop

(7"-11"W Range w/8"Hx8"W pad, 10"-17"W Range w/8"Hx11"W pad, 12"-19"W Range w/8"Hx13"W pad)

- ☐ Elbow Stop with Arm Rest

(10"-17"W Range w/8"Hx11"W pad, 12"-19"W Range w/8"Hx13"W pad)

#### Chest Support (select one)

- ☐ X-Style 11"Lx9.5"W ☐ X-Style 14.5"Lx10.5"W DEFAULT  
☐ Y-Style 17.5"Lx11.5"W ☐ Y-Style 20.5"Lx12.5"W  
☐ Non-Stretch X-Style 11"Lx9.5"W ☐ Non-Stretch X-Style 14.5"Lx10.5"W  
☐ Non-Stretch Y-Style 17.5"Lx11.5"W ☐ Non-Stretch Y-Style 20.5"Lx12.5"W

#### Head Support (select one)

- ☐ 5"Hx8"W ☐ 6"Hx10"W  
☐ 7"Hx14"W ☐ 5"Hx10"W-Form to Fit DEFAULT

#### Elbow Pad (select one)

- ☐ 9.25" Cutout ☐ 11" Cutout DEFAULT ☐ 13" Cutout

### ☐ PK415 Maximum Support Package.....\$8,985

The maximum support package includes: (no substitutions)

Mast with Leg Abduction, Dual Control, Gas Spring Lift Lockout, Directional Locking Caster, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pads or Multi-Adjustable Swing-Away Knee Pads, Multi-Adjustable Calf Pads, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap, Planar Upper Body Pad, Lateral Supports, Chest Vest with High Mount Chest Vest Bracket, Head Support, Swing Away Tray, Elbow Pad, Push Handle, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position Lockout.

#### Chest Pad (select one)

- ☐ Pivoting Chest Pad ☐ Small Chest Pad DEFAULT

#### Multi-Adjustable Foot Plates (select one, pair)

- ☐ 6"Lx3"W ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W DEFAULT ☐ 11.75"Lx5"W

#### Secure Foot Straps (select one, length over top of foot, two pair)

- ☐ 8"L ☐ 10"L ☐ 15"L DEFAULT ☐ 21"L

#### Knee Pads (select one)

- ☐ Multi-Adjustable Knee Pads

- ☐ Multi-Adjustable Swing-Away Knee Pads

(select one pad size by inside width below)

Symmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5"

Asymmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5"

#### Multi-Adjustable Calf Pads (select one, inside width)

- ☐ 3.5" ☐ 4.5" DEFAULT ☐ 5.5"

#### Pelvic Support-Planar Pad (select one)

- ☐ 10"Hx11"W ☐ 10"Hx13"W DEFAULT

#### Hip Supports (select one range)

- ☐ 7"-13" ☐ 12"-18" DEFAULT

#### Upper Body Support-Planar Pad (select one)

- ☐ 8"Hx8"W ☐ 8"Hx11"W ☐ 8"Hx13"W DEFAULT

#### Lateral Supports (select one)

- ☐ Narrow Range (select pad style below)

(5"-7"W range w/8"Hx8"W pad, 7"-11"W range w/8"Hx11"W pad, 9"-13" W range w/8"Hx13"W pad)

- ☐ Flat Pads ☐ Curved Pads

- ☐ Wide Range (select pad style below)

(8"-10"W range w/8"Hx8"W pad, 10"-14"W range w/8"Hx11"W pad, 8"-13" W range w/8"Hx13"W pad)

- ☐ Flat Pads ☐ Curved Pads DEFAULT

- ☐ Lateral Supports with Elbow Stop

(7"-11"W Range w/8"Hx8"W pad, 10"-17"W Range w/8"Hx11"W pad, 12"-19"W Range w/8"Hx13"W pad)

- ☐ Elbow Stop with Arm Rest

(10"-17"W Range w/8"Hx11"W pad, 12"-19"W Range w/8"Hx13"W pad)

#### Chest Support (select one)

- ☐ X-Style 11"Lx9.5"W ☐ X-Style 14.5"Lx10.5"W DEFAULT  
☐ Y-Style 17.5"Lx11.5"W ☐ Y-Style 20.5"Lx12.5"W  
☐ Non-Stretch X-Style 11"Lx9.5"W ☐ Non-Stretch X-Style 14.5"Lx10.5"W  
☐ Non-Stretch Y-Style 17.5"Lx11.5"W ☐ Non-Stretch Y-Style 20.5"Lx12.5"W

#### Head Support (select one)

- ☐ 5"Hx8"W ☐ 6"Hx10"W  
☐ 7"Hx14"W ☐ 5"Hx10"W-Form to Fit DEFAULT

#### Multi-Adjustable Tray (select one)

- ☐ Black Molded 21"Lx24"W ☐ Clear Tray-21"Lx24"W DEFAULT

#### Elbow Pad (select one)

- ☐ 9.25" Cutout ☐ 11" Cutout DEFAULT ☐ 13" Cutout



## Retail Order Form

USA Effective January 1, 2026 Date: \_\_\_\_\_

### MPS TT Size 2 User Specifications

Height Range 32"-60"  
Weight Limit 154 lbs

### Bill To (Altimate Medical Supplier Only)

Purchase Order #: \_\_\_\_\_

Quote #: \_\_\_\_\_

Account #: \_\_\_\_\_

Ordered By: \_\_\_\_\_

Name of ATP (Required): \_\_\_\_\_

Supplier Company: \_\_\_\_\_

Address: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Payer Source: \_\_\_\_\_

### Ship To

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

City, State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Tag For: \_\_\_\_\_

Email form to [webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com)



**AltimateMedical**  
creating products · changing lives

Ph: 800.342.8968 or 507.697.6393

Fax: 877.342.8968 or 507.697.6900

[webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com) [zingstanders.com](http://zingstanders.com)

# MPS TT Size 2 Packages

Note: The default items will be added if no selection is made.

### Select one one Color

Frame Color (select one)

☐ Green DEFAULT ☐ White  
☐ Purple ☐ Orange

### ☐ PK417 Moderate Support Package.....\$8,749

The moderate support package includes: (no substitutions)

Mast with Leg Abduction, Multi-Adjustable Foot Plates, Secure Foot Straps, Planar Leg Pads, Knee Strap, Planar Pelvic/Upper Body Pad, Hip Supports, Padded Positioning Strap, Lateral Supports, Chest Vest with High Mount Chest Vest Bracket, Head Support, Black Molded Swing Away Tray, Elbow Pad, Push Handle, Four Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position Lockout.

Chest Pad (select one)

☐ Pivoting Chest Pad ☐ Small Chest Pad DEFAULT

Multi-Adjustable Foot Plates (select one, pair)

☐ 6"Lx3"W ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W DEFAULT ☐ 11.75"Lx5"W

Secure Foot Straps (select one, length over top of foot, two pair)

☐ 8"L ☐ 10"L ☐ 15"L DEFAULT ☐ 21"L

Leg Support-Planar Pad (select one)

☐ 9"Hx7.5"W ☐ 12"Hx7.5"W DEFAULT ☐ 15"Hx7.5"W

Pelvic/Upper Body Support-Planar Pad (select one)

☐ 19"Hx16"W ☐ 22"Hx16"W DEFAULT ☐ 25"Hx16"W

Hip Supports (select one range)

☐ 7"-13" ☐ 10"-16" DEFAULT

Padded Positioning Strap (select one, hip circumference)

☐ up to 45" DEFAULT ☐ up to 57"

Lateral Supports (select one)

☐ 7"-11"W Range (select pad style below)

☐ Flat Pads ☐ Curved Pads

☐ 10"-16"W Range (select pad style below)

☐ Flat Pads ☐ Curved Pads DEFAULT

Chest Support (select one)

☐ X-Style 11"Lx9.5"W ☐ X-Style 14.5"Lx10.5"W DEFAULT

☐ Y-Style 17.5"Lx11.5"W ☐ Y-Style 20.5"Lx12.5"W

☐ Non-Stretch X-Style 11"Lx9.5"W ☐ Non-Stretch X-Style 14.5"Lx10.5"W

☐ Non-Stretch Y-Style 17.5"Lx11.5"W ☐ Non-Stretch Y-Style 20.5"Lx12.5"W

Head Support (select one)

☐ Planar Pad 9"Hx10"W ☐ 5"Hx8"W ☐ 6"Hx10"W

☐ 7"Hx14"W ☐ 5"Hx10"W-Form to Fit DEFAULT

Elbow Pad (select one)

☐ 9.25" Cutout ☐ 11" Cutout DEFAULT ☐ 13" Cutout

### ☐ PK418 Maximum Support Package.....\$9,152

The maximum support package includes: (no substitutions)

Mast with Leg Abduction, Dual Control, Gas Spring Lift Lockout, Directional Locking Caster, Multi-Adjustable Foot Plates, Secure Foot Straps, Planar Leg Pads, Multi-Adjustable Knee Pads or Multi-Adjustable Swing-Away Knee Pads, Pelvic/Upper Body Support, Hip Supports, Padded Positioning Strap, Lateral Supports, Chest Vest with High Mount Chest Vest Bracket, Head Support, Swing Away Tray, Elbow Pad, Push Handle, Four Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position Lockout.

Chest Pad (select one)

☐ Pivoting Chest Pad ☐ Small Chest Pad DEFAULT

Multi-Adjustable Foot Plates (select one, pair)

☐ 6"Lx3"W ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W DEFAULT ☐ 11.75"Lx5"W

Secure Foot Straps (select one, length over top of foot, two pair)

☐ 8"L ☐ 10"L ☐ 15"L DEFAULT ☐ 21"L

Leg Support-Planar Pad (select one)

☐ 9"Hx7.5"W ☐ 12"Hx7.5"W DEFAULT ☐ 15"Hx7.5"W

Knee Pads (select one)

☐ Multi-Adjustable Knee Pads

☐ Multi-Adjustable Swing-Away Knee Pads

(select one pad size by inside width below)

Symmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5"

Asymmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5"

Pelvic/Upper Body Support-Planar Pad (select one)

☐ 19"Hx16"W ☐ 22"Hx16"W DEFAULT ☐ 25"Hx16"W

Hip Supports (select one range)

☐ 7"-13" ☐ 10"-16" DEFAULT

Padded Positioning Strap (select one, hip circumference)

☐ up to 45" DEFAULT ☐ up to 57"

Lateral Supports (select one)

☐ 7"-11"W Range (select pad style below)

☐ Flat Pads ☐ Curved Pads

☐ 10"-16"W Range (select pad style below)

☐ Flat Pads ☐ Curved Pads DEFAULT

Chest Support (select one)

☐ X-Style 11"Lx9.5"W ☐ X-Style 14.5"Lx10.5"W DEFAULT

☐ Y-Style 17.5"Lx11.5"W ☐ Y-Style 20.5"Lx12.5"W

☐ Non-Stretch X-Style 11"Lx9.5"W ☐ Non-Stretch X-Style 14.5"Lx10.5"W

☐ Non-Stretch Y-Style 17.5"Lx11.5"W ☐ Non-Stretch Y-Style 20.5"Lx12.5"W

Head Support (select one)

☐ 5"Hx8"W ☐ 6"Hx10"W

☐ 7"Hx14"W ☐ 5"Hx10"W-Form to Fit DEFAULT

Multi-Adjustable Tray (select one)

☐ Black Molded 21"Lx24"W ☐ Clear Tray-21"Lx24"W DEFAULT

Elbow Pad (select one)

☐ 9.25" Cutout ☐ 11" Cutout DEFAULT ☐ 13" Cutout

## Retail Order Form

USA Effective January 1, 2026 Date: \_\_\_\_\_

### Prone Size 2 User Specifications

Height Range 32"-60"  
Weight Limit 154 lbs

### Bill To (Ultimate Medical Supplier Only)

Purchase Order #: \_\_\_\_\_

Quote #: \_\_\_\_\_

Account #: \_\_\_\_\_

Ordered By: \_\_\_\_\_

Name of ATP (Required): \_\_\_\_\_

Supplier Company: \_\_\_\_\_

Address: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Payer Source: \_\_\_\_\_

### Ship To

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

City, State: \_\_\_\_\_

Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

Tag For: \_\_\_\_\_

Email form to [webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com)



**AltimateMedical**  
creating products · changing lives

Ph: 800.342.8968 or 507.697.6393

Fax: 877.342.8968 or 507.697.6900

[webquotes@altimatemedical.com](mailto:webquotes@altimatemedical.com) [zingstanders.com](http://zingstanders.com)

## Prone Size 2 Packages

Note: The default items will be added if no selection is made.

### Select one one Color

#### Frame Color (select one)

☐ Green DEFAULT ☐ White  
☐ Purple ☐ Orange

### ☐ PK420 Moderate Support Package.....\$7,892

The moderate support package includes: (no substitutions)

Mast with Leg Abduction, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pads, Knee Strap, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap (2), Planar Upper Body Pad, Lateral Supports, Face Aperture, Black Molded Tray, Elbow Pad, Push Handle for Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver.

#### Multi-Adjustable Foot Plates (select one, pair)

☐ 6"Lx3"W ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W DEFAULT ☐ 11.75"Lx5"W

#### Secure Foot Straps (select one, length over top of foot, two pair)

☐ 8"L ☐ 10"L ☐ 15"L DEFAULT ☐ 21"L

#### Knee Pads (select one)

##### ☐ Multi-Adjustable Knee Pads

(select one pad size by inside width below)

Symmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5"

Asymmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5"

#### Pelvic Support-Planar Pad (select one)

☐ 10"Hx11"W ☐ 10"Hx13"W DEFAULT

#### Hip Supports (select one range)

☐ 7"-13" ☐ 12"-18" DEFAULT

#### Upper Body Support-Planar Pad (select one)

☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT

☐ 7"Hx7"W ☐ 7"Hx9"W

#### Lateral Supports (select one)

☐ Flat Pads ☐ Curved Pads DEFAULT

7"-12"W Range with 7"W Pad, 9"-14"W Range with 9"W Pad

### ☐ PK421 Maximum Support Package.....\$8,296

The maximum support package includes: (no substitutions)

Mast with Leg Abduction, Dual Control, Gas Spring Lift Lockout, Directional Locking Caster, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pads, Knee Strap, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap (2), Planar Upper Body Pad, Lateral Supports, Face Aperture, Multi-Adjustable Tray, Elbow Pad, Push Handle for Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver.

#### Multi-Adjustable Foot Plates (select one, pair)

☐ 6"Lx3"W ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W DEFAULT ☐ 11.75"Lx5"W

#### Secure Foot Straps (select one, length over top of foot, two pair)

☐ 8"L ☐ 10"L ☐ 15"L DEFAULT ☐ 21"L

#### Knee Pads (select one)

##### ☐ Multi-Adjustable Knee Pads

(select one pad size by inside width below)

Symmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5"

Asymmetrical Pad: ☐ 2.5" ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5"

#### Pelvic Support-Planar Pad (select one)

☐ 10"Hx11"W ☐ 10"Hx13"W DEFAULT

#### Hip Supports (select one range)

☐ 7"-13" ☐ 12"-18" DEFAULT

#### Upper Body Support-Planar Pad (select one)

☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT

☐ 7"Hx7"W ☐ 7"Hx9"W

#### Lateral Supports (select one)

☐ Flat Pads ☐ Curved Pads DEFAULT

7"-12"W Range with 7"W Pad, 9"-14"W Range with 9"W Pad

#### Multi-Adjustable Tray (select one)

☐ Black Molded 21"Lx24"W ☐ Clear Tray-21"Lx24"W DEFAULT

#### Elbow Pad (select one)

☐ 9.25" Cutout ☐ 11" Cutout DEFAULT ☐ 13" Cutout