# Zing

#### Retail Order Form

USA Effective January 1, 2023 Date: \_\_\_\_\_

#### **Portable User Specifications**

Approximate Height Range Weight Limit Approximate Age up to 36" 36 lbs 0 - 3 Years

Bill TO (Altimate Medical Supplier Only)
Purchase Order #:
Quote #:
Account #:
Ordered By:
Name of ATP (Required):
Supplier Company:
Address:
City, State, Zip:
Phone:
Email:
Payer Source:
Ship To
Name:
Address:

Email form to webquotes@zingstanders.com

City, State:

### **Altimate** Medical

Ph: 800.342.8968 or 507.697.6393 Fax: 877.342.8968 or 507.697.6900 zingstanders.com

### **Portable Packages**

Note: The default items will be added if no selection is made

□ PK520 MPS Package DEFAULT	\$5,114
Base, Mast with Leg Abduction, Multi-Adjustable Foot Plates, Foot Straps, Multi-Adjustable ke to Fit Pad, ( <b>Prone</b> ) Upper Body Form to Fit Pad, Positioning Tray, ( <b>Supine</b> ) Upper Body Form Support.	
□ PK521 Supine Package	\$4,327
Base, Mast with Leg Abduction, Multi-Adjustable Foot Plates, Foot Straps, Multi-Adjustable k to Fit Pad, Upper Body Form to Fit Pad, Black Molded Swing-Away Tray and Head Support.	(nee Pads, Pelvic Form
□ PK522 Prone Package	\$3,767
Base, Mast with Leg Abduction, Multi-Adjustable Foot Plates, Foot Straps, Multi-Adjustable K	(nee Pads, Pelvic Form

to Fit Pad, Upper Body Form to Fit Pad, Multi-Adjustable Black Molded Tray and Head Support.

USA Effective January 1, 2023 Date: \_\_\_\_\_

#### **MPS Size 1 User Specifications**

Approximate Height Range Weight Limit

up to 44" 70 lbs

### Bill TO (Altimate Medical Supplier Only) Purchase Order #: \_\_\_\_\_ Quote #:\_\_\_\_ Account #:\_\_\_\_ Ordered By: Name of ATP (Required): Supplier Company: City, State, Zip: Email: Payer Source: Ship To Name:\_\_\_\_\_ Address: City, State:

Email form to webquotes@zingstanders.com

### **Altimate** Medical

Ph: 800.342.8968 or 507.697.6393 Fax: 877.342.8968 or 507.697.6900 zingstanders.com

## **MPS Size 1 Packages**

6 6176 1 1 96179966
Note: The default items will be added if no selection is made.
Select one one Color
Frame Color (select one)
Green DEFAULT White
☐ Purple ☐ Orange
☐ PK401 Minimum Support Package\$4,737
he minimum support package includes: (no substitutions)
Mast, Platform Foot Plate, Foot Holders, Foot Straps, Calf/Knee Pad with Strap, Form to Fit lelvic Pad, Form to Fit Upper Body Pad, Padded Positioning Strap (2), Head Support, Black
Molded Swing Away Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver
vith Prone Position Lockout.
Foot Holders (select one, pair)
☐ 6"LX3"W ☐ 7.75"LX3.25"W default ☐ 9.75"LX4"W
Foot Straps (select one, length over top of foot, two pair)
□ 8"L □ 10"L default
Pelvic Support-Form to Fit Pad (select one)
5"HX10"W DEFAULT 5"HX12"W
Upper Body Support-Form to Fit Pad (select one)
☐ 5"HX10"W DEFAULT ☐ 5"HX12"W ☐ 7"HX10"W ☐ 7"HX12"W
Head Support (select one)
☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit default
☐ PK402 Moderate Support Package\$6,395
The moderate support package includes: (no substitutions)  Mast with Leg Abduction, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable
(nee Pad and Multi-Adjustable Calf Pad or Posterior Knee Pads, Planar Pelvic Pad, Hip
Supports, Padded Positioning Strap, Planar Upper Body Pad, Lateral Supports, Chest Vest with
ligh Mount Chest Vest Bracket or Upper Body Padded Positioning Strap, Head Support, Black Aolded Swing Away Tray, Forearm Wings, Push Handle, Swivel Locking Casters, Foot Operate
Sas Spring, Mast Receiver with Prone Position Lockout.
Multi-Adjustable Foot Holders (select one, pair)
☐ 6"LX3"W ☐ 7.75"LX3.25"W default ☐ 9.75"LX4"W
Secure Foot Straps (select one, length over top of foot, two pair)
□ 8"L □ 10"L default
Knee Pads (select one)
Multi-Adjustable Knee Pads (select inside width below)
☐ 2.5" ☐ 3.25" DEFAULT ☐ 4.25" ☐ 5" ☐ Posterior Knee Pads (select inside width below)
3.5" default 5"
Multi-Adjustable Calf Pads (select one, inside width, not available
3.5" DEFAULT 4.5" With posterior knee pads)
Pelvic Support-Planar Pad (select one)
5"Hx7"W 5"Hx9"W DEFAULT
Upper Body Support-Planar Pad (select one)
☐ 5"HX7"W ☐ 5"HX9"W DEFAULT ☐ 7"HX7"W ☐ 7"HX9"W
Lateral Supports (select one)
7"-11"W Range (select pad style below)
☐ Square Pads DEFAULT ☐ Flat Pads ☐ Curved Pads
Lateral Supports with Elbow Stop 7"-11"W Range
☐ Elbow Stop with Arm Rest 7"-11"W Range
Chest Support (select one)
Padded Positioning Strap (fits circumference up to 24", velcro with D-ring)
☐ X-Style 9.5"Lx9"W default ☐ X-Style 11"Lx9.5"W
☐ X-Style Non-Stretch 9.5"Lx9"W ☐ X-Style Non-Stretch 11"Lx9.5"W

The maximum support package includes: (no substitutions)  Mast with Leg Abduction, Dual Control, Gas Spring Lift Lockout, Directional Locking Caster, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pad and Multi- Adjustable Calf Pad or Posterior Knee Pads, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap, Planar Upper Body Pad, Lateral Supports, Chest Vest with High Mount Chest Vest Bracket or Upper Body Padded Positioning Strap, Head Support, Swing Away Tray, Forearm Wings, Push Handle, Swivel Locking Casters, Foot Operated Gas Spring, Masi Receiver with Prone Position Lockout.
Multi-Adjustable Foot Holders (select one, pair)  ☐ 6"Lx3"W ☐ 7.75"Lx3.25"W DEFAULT ☐ 9.75"Lx4"W
Secure Foot Straps (select one, length over top of foot, two pair)  8"L
Knee Pads (select one)    Multi-Adjustable Knee Pads (select inside width below)   2.5"   3.25"   befault   4.25"   5"    Posterior Knee Pads (select inside width below)   3.5"     5"   5"
Multi-Adjustable Calf Pads (select one, inside width, not available 3.5" DEFAULT 4.5" with posterior knee pads)
Pelvic Support-Planar Pad (select one) ☐ 5"Hx7"W ☐ 5"Hx9"W befault
Upper Body Support-Planar Pad (select one)  ☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT ☐ 7"Hx7"W ☐ 7"Hx9"W
Lateral Supports (select one)  ☐ 7"-11"W Range (select pad style below) ☐ Square Pads DEFAULT ☐ Flat Pads ☐ Curved Pads ☐ Lateral Supports with Elbow Stop 7"-11"W Range ☐ Elbow Stop with Arm Rest 7"-11"W Range
Chest Support (select one)  Padded Positioning Strap (fits circumference up to 24", velcro with D-ring)
☐ X-Style 9.5"LX9"W DEFAULT ☐ X-Style 11"LX9.5"W
☐ X-Style Non-Stretch 9.5"Lx9"W ☐ X-Style Non-Stretch 11"Lx9.5"W
Head Support (select one)  ☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit DEFAULT
Swing Away Tray (select one)

☐ Clear Tray-11"Lx19"W DEFAULT

☐ Black Molded 11"Lx19"W

☐ PK403 Maximum Support Package......\$6,842

☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit default

Head Support (select one)

USA Effective January 1, 2023 Date: \_

#### **MPS TT Size 1 User Specifications**

Approximate Height Range Weight Limit

up to 44" 70 lbs

### **Bill TO** (Altimate Medical Supplier Only) Purchase Order #: \_\_\_\_\_ Quote #:\_\_\_\_ Account #:\_\_\_\_ Ordered By: Name of ATP (Required): Supplier Company:\_\_\_\_\_ Address: City, State, Zip: Email: Payer Source: Ship To Name:\_\_\_\_\_ Address: City, State: \_\_\_\_\_

Email form to webquotes@zingstanders.com

### **Altimate** Medical

Ph: 800.342.8968 or 507.697.6393 Fax: 877.342.8968 or 507.697.6900 zingstanders.com

### **MPS TT Size 1 Packages**

Select one one color
Frame Color (select one)
Green DEFAULT White
☐ Purple ☐ Orange
☐ PK404 Minimum Support Package\$4,143 The minimum support package includes: (no substitutions) Mast, Platform Foot Plate, Foot Holders, Foot Straps, Calf/Knee Pad with Strap, Planar Pelvic/Upper Body Pad, Padded Positioning Strap (2), Head Support-Planar Pad, Black Molded Swing Away Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position Lockout.
Foot Holders (select one, pair)  ☐ 6"LX3"W ☐ 7.75"LX3.25"W DEFAULT ☐ 9.75"LX4"W
Foot Straps (select one, length over top of foot, two pair)  □ 8"L □ 10"L DEFAULT
Pelvic/Upper Body Support-Planar Pad (select one)  ☐ 14"HX14"W ☐ 16"HX14"W DEFAULT ☐ 18"HX14"W
□ PK405 Moderate Support Package
Multi-Adjustable Foot Holders (select one, pair)  ☐ 6"LX3"W ☐ 7.75"LX3.25"W DEFAULT ☐ 9.75"LX4"W
Secure Foot Straps (select one, length over top of foot, two pair)
Knee Pads (select one)    Multi-Adjustable Knee Pads (select inside width below)   2.5"
Pelvic/Upper Body Support-Planar Pad (select one)  14"HX14"W
Lateral Supports (select one)  ☐ 4"-8"W Range (select pad style below) ☐ Square Pads ☐ Flat Pads ☐ Curved Pads
☐ 7"-11"W Range (select pad style below) ☐ Square Pads ☐ Flat Pads □ Curved Pads
Chest Support (select one)  Padded Positioning Strap (fits circumference up to 24", velcro with D-ring)  X-Style 9.5"LX9"W DEFAULT X-Style 11"LX9.5"W  X-Style Non-Stretch 9.5"LX9"W X-Style Non-Stretch 11"LX9.5"W  Head Support (select one)  Planar Pad 8"HX8.5"W 5"HX8"W  6"HX10"W 5"HX10"W-Form to Fit DEFAULT
☐ 5 FIX 10 VV-FOITH tO FIL DEFAULT

☐ PK406 Maximum Support Package.....\$6,902

The maximum support package includes: (no substitutions) Mast with Leg Abduction, Dual Control, Gas Spring Lift Lockout, Directional Locking Caster

Multi-Adjustable Foot Plates, Secure Foot Straps, Planar Leg Pads, Multi-Adjustable Knee Pads or Posterior Knee Pads, Planar Pelvic/Upper Body Pad, Hip Supports, Padded Positioning Strap, Lateral Supports, Chest Vest with High Mount Chest Vest Bracket or Upper Body Padded Positioning Strap, Head Support, Swing Away Tray, Forearm Wings, Push Handle, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position Lock Out.
Multi-Adjustable Foot Holders (select one, pair)  ☐ 6"Lx3"W ☐ 7.75"Lx3.25"W DEFAULT ☐ 9.75"Lx4"W
Secure Foot Straps (select one, length over top of foot, two pair)  8"L 10"L DEFAULT
Leg Support-Planar Pad (select one, not available with posterior knee pads)  ☐ 4"HX6"W ☐ 6"HX6"W DEFAULT ☐ 8"HX6"W
Knee Pads (select one)  ☐ Multi-Adjustable Knee Pads (select inside width below)  ☐ 2.5" ☐ 3.25" □ 5.25" □ 4.25" ☐ 5"  ☐ Posterior Knee Pads (select inside width below)  ☐ 3.5" □ DEFAULT ☐ 5"
Pelvic/Upper Body Support-Planar Pad (select one)  14"Hx14"W
Lateral Supports (select one)
Square Pads   Flat Pads DeFault   Curved Pads
Chest Support (select one)  □ Padded Positioning Strap (fits circumference up to 24", velcro with D-ring)  □ X-Style 9.5"Lx9"W DEFAULT □ X-Style 11"Lx9.5"W  □ X-Style Non-Stretch 9.5"Lx9"W □ X-Style Non-Stretch 11"Lx9.5"W
Head Support (select one)  Planar Pad 8"Hx8.5"W 5"Hx8"W 6"Hx10"W 5"Hx10"W-Form to Fit DEFAULT
Swing Away Tray (select one)  ☐ Black Molded 11"Lx19"W ☐ Clear Tray-11"Lx19"W pefault

USA Effective January 1, 2023 Date:

#### **Prone Size 1 User Specifications**

Approximate Height Range Weight Limit

Up to 44" 70 lbs

Bill TO (Altimate Medical Supplier Only)
Purchase Order #:
Quote #:
Account #:
Ordered By:
Name of ATP (Required):
Supplier Company:
Address:
City, State, Zip:
Phone:
Email:
Payer Source:
Ship To
Name:
Address:
Address:
City, State:
Zip:
Phone:
Tag For:

Email form to webquotes@zingstanders.com

### **Altimate** Medical

Ph: 800.342.8968 or 507.697.6393 Fax: 877.342.8968 or 507.697.6900 zingstanders.com

## **Prone Size 1 Packages**

Note: The detail items will be added if no selection is made.
Select one one Color
Frame Color (select one)
Green default White
☐ Purple ☐ Orange
☐ PK407 Minimum Support Package\$3,918
The minimum support package includes: (no substitutions) Mast, Platform Foot Plate, Foot Holders, Foot Straps, Calf/Knee Pad with Strap, Form to Fit Pelvic Pad, Padded Positioning Strap (2), Form to Fit Upper Body Pad, Multi-Adjustable Black Molded Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver.
Foot Holders (select one, pair) ☐ 6"Lx3"W ☐ 7.75"Lx3.25"W DEFAULT ☐ 9.75"Lx4"W
Foot Straps (select one, length over top of foot, two pair)  8"L  10"L DEFAULT
Pelvic Support-Form to Fit Pad (select one)
☐ 5"HX10"W default ☐ 5"HX12"W
Upper Body Support-Form to Fit Pad (select one)
☐ 5"Hx10"W ☐ 5"Hx12"W
5"HX10"W (extra sternum positioning)
7"HX10"W (extra sternum positioning) 7"HX12"W (extra sternum positioning)
☐ PK408 Moderate Support Package\$5,688
The moderate support package includes: (no substitutions) Mast with Leg Abduction, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pads, Knee Strap, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap (2), Planar Upper Body Pad, Lateral Supports, Face Aperture, Multi-Adjustable Black Molded Tray, Forearm Wings, Push Handle for Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver.
Multi-Adjustable Foot Plates (select one, pair)
☐ 6"Lx3"W ☐ 7.75"Lx3.25"W default ☐ 9.75"Lx4"W
Secure Foot Straps (select one, length over top of foot, two pair)
8"L 10"L default
Multi-Adjustable Knee Pads (select one, inside width)
☐ 2.5" ☐ 3.25" DEFAULT ☐ 4.25" ☐ 5"
Pelvic Support-Planar Pad (select one)  ☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT
Upper Body Support-Planar Pad (select one)           □ 5"Hx5"W         □ 5"Hx7"W         □ 5"Hx9"W           □ 7"Hx7"W         □ 7"Hx9"W
Lateral Supports (select one)
☐ 4"-8"W Range (select pad style below) ☐ Square Pads ☐ Flat Pads ☐ Curved Pads
7"-11"W Range (select pad style below)

☐ Square Pads DEFAULT ☐ Flat Pads ☐ Curved Pads

☐ PK409 Maximum Support Package.....\$6,144 The maximum support package includes: (no substitutions) Mast with Leg Abduction, Dual Control, Gas Spring Lift Lockout, Directional Locking Caster, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pads, Knee Strap, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap (2), Planar Upper Body Pad, Lateral Supports, Face Aperture, Multi-Adjustable Tray, Forearm Wings, Push Handle for Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver. Multi-Adjustable Foot Plates (select one, pair) ☐ 6"Lx3"W ☐ 7.75"Lx3.25"W default ☐ 9.75"Lx4"W Secure Foot Straps (select one, length over top of foot, two pair) ☐ 8"L ☐ 10"L DEFAULT Multi-Adjustable Knee Pads (select one, inside width) ☐ 2.5" ☐ 3.25" DEFAULT ☐ 4.25" ☐ 5" Pelvic Support-Planar Pad (select one) ☐ 5"Hx7"W ☐ 5"Hx9"W DEFAULT Upper Body Support-Planar Pad (select one) ☐ 5"Hx7"W ☐ 5"Hx5"W 5"HX9"W DEFAULT ☐ 7"Hx9"W ☐ 7"Hx7"W Lateral Supports (select one) ☐ 4"-8"W Range (select pad style below) ☐ Square Pads ☐ Flat Pads ☐ Curved Pads 7"-11"W Range (select pad style below) ☐ Square Pads DEFAULT ☐ Flat Pads ☐ Curved Pads

☐ Clear Tray-11"Lx19"W DEFAULT

Multi-Adjustable Tray (select one) ☐ Black Molded 11"Lx19"W

#### Retail Package Order Form

USA Effective January 1, 2023 Date: \_

#### **MPS Size 2 User Specifications**

Approximate Height Range Weight Limit

40"-60" 154 lbs

# Bill TO (Altimate Medical Supplier Only) Purchase Order #: \_\_\_\_\_ Account #:\_\_\_\_ Ordered By: Name of ATP (Required): Supplier Company:\_\_\_\_ Address: City, State, Zip: Email: Paver Source: Name: Address:

Email form to webquotes@zingstanders.com

### **Altimate** Medical

Ph: 800.342.8968 or 507.697.6393 Fax: 877.342.8968 or 507.697.6900 zingstanders.com

MPS Size 2 Packages
Note: The default items will be added if no selection is made.
Select one one Color
Frame Color (select one)
Green DEFAULT White
□ Purple □ Orange
□ PK413 Minimum Support Package\$5,439
The minimum support package includes: (no substitutions)
Mast, Platform Foot Plate, Foot Holders, Foot Straps, Calf/Knee Pad with Strap, Form to Fit Pelvic Pad, Padded Positioning Straps (2), Form to Fit Upper Body Pad, Head Support, Black
Molded Swing Away Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver
with Prone Position Lockout.
Foot Holders (select one, pair)  ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W DEFAULT ☐ 11.75"Lx5"W
FOOT Straps (select one, length over top of foot, two pair)
□ 10"L □ 15"L DEFAULT □ 21"L
Pelvic Support-Form to Fit Pad (select one)
☐ 10"HX11"W ☐ 10"HX13"W default
Upper Body Support-Form to Fit Pad (select one)
☐ 8"HX11"W ☐ 8"HX13"W default
Head Support (select one)
☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 7"Hx14"W ☐ 5"Hx10"W-Form to Fit default
□ PK414 Moderate Support Package\$7,331
The moderate support package includes: (no substitutions)
Mast with Leg Abduction, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable
Knee Pads, Multi-Adjustable Calf Pads, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap, Planar Upper Body Pad, Lateral Supports, Chest Vest with High Mount Chest Vest
Bracket or Upper Body Padded Positioning Strap, Head Support, Black Molded Swing Away
Tray, Elbow Pad, Push Handle, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position Lockout.
Multi-Adjustable Foot Plates (select one, pair)
7.75"Lx3.25"W  9.75"Lx4"W DEFAULT  11.75"Lx5"W
Secure Foot Straps (select one, length over top of foot, two pair)
☐ 10"L ☐ 15"L DEFAULT ☐ 21"L
Multi-Adjustable Knee Pads (select one, inside width)
☐ 3.25" ☐ 4.25" pefault ☐ 5"

Multi-Adjustable Calf Pads (select one, inside width)

☐ 4.5" default ☐ 5.5"

Pelvic Support-Planar Pad (select one)

□ 10"Hx11"W
□ 10"Hx13"W DEFAULT Hip Supports (select one range)

☐ 7"-13" ☐ 12"-18" DEFAULT

Upper Body Support-Planar Pad (select one) ■ 8"Hx8"W ■ 8"Hx11"W ■ 8"Hx13"W DEFAULT

Lateral Supports (select one)

☐ Narrow Range (select pad style below)

(5"-7"W range w/8"Hx8"W pad, 7"-11"W range w/8"Hx11"W pad, 9"-13" W range w/8"Hx13"W pad) ☐ Flat Pads ☐ Curved Pads

☐ Wide Range (select pad style below)

(8"-10"W range w/8"Hx8"W pad, 10"-14"W range w/8"Hx11"W pad, 8"-13" W range w/8"Hx13"W pad) ☐ Flat Pads ☐ Curved Pads DEFAULT

☐ Lateral Supports with Elbow Stop

(7"-11"W Range w/8"Hx8"W pad, 10"-17"W Range w/8"Hx11"W pad, 12"-19"W Range w/8"Hx13"W pad)

☐ Elbow Stop with Arm Rest

(10"-17"W Range w/8"Hx11"W pad, 12"-19"W Range w/8"Hx13"W pad)

Moderate Support Package Continued
Chest Support (select one)  Padded Positioning Strap (fits circumference up to 35", velcro with D-ring)
☐ Y-Style 17.5"Lx11.5"W ☐ Y-Style 20.5"Lx12.5"W ☐ Non-Stretch X-Style 11"Lx9.5"W ☐ Non-Stretch X-Style 14.5"Lx10.5"W
☐ Non-Stretch Y-Style 17.5"Lx11.5"W☐ Non-Stretch Y-Style 20.5"Lx12.5"W
Head Support (select one)  ☐ 5"Hx8"W ☐ 6"Hx10"W
7"Hx14"W 5"Hx10"W-Form to Fit DEFAULT
Elbow Pad (select one)  9.25" Cutout 11" Cutout DEFAULT 13" Cutout
☐ PK415 Maximum Support Package\$7,877
The maximum support package includes: (no substitutions) Mast with Leg Abduction, Dual Control, Gas Spring Lift Lockout, Directional Locking Caster, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pad and Multi- Adjustable Calf Pad or Posterior Knee Pads, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap, Planar Upper Body Pad, Lateral Supports, Chest Vest with High Mount Chest Vest Bracket or Upper Body Padded Positioning Strap, Head Support, Swing Away Tray, Elbow Pad, Push Handle, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position Lockout.  Multi-Adjustable Foot Plates (select one, pair)
7.75"Lx3.25"W 9.75"Lx4"W default 11.75"Lx5"W
Secure Foot Straps (select one, length over top of foot, two pair)
☐ 10"L ☐ 15"L DEFAULT ☐ 21"L
Knee Pads (select one)  Multi-Adjustable Knee Pads (select inside width below)
3.25" 4.25" default 5"
Posterior Knee Pads (select inside width below)  □ 5" DEFAULT □ 7" □ 8"
Multi-Adjustable Calf Pads (select one, inside width, not available with posterior knee pads)
Pelvic Support-Planar Pad (select one)
10"Hx11"W
Hip Supports (select one range)
7"-13" 12"-18" default
Upper Body Support-Planar Pad (select one)  ☐ 8"Hx8"W ☐ 8"Hx11"W ☐ 8"Hx13"W DEFAULT
Lateral Supports (select one)
Narrow Range (select pad style below)
(5"-7"W range w/8"Hx8"W pad, 7"-11"W range w/8"Hx11"W pad, 9"-13" W range w/8"Hx13"W pad)  ☐ Flat Pads ☐ Curved Pads
☐ Wide Range (select pad style below)
(8"-10"W range w/8"Hx8"W pad, 10"-14"W range w/8"Hx11"W pad, 8"-13" W range w/8"Hx13"W pad)  ☐ Flat Pads ☐ Curved Pads рераціт
Lateral Supports with Elbow Stop  (7"-11"W Range w/8"Hx8"W pad, 10"-17"W Range w/8"Hx11"W pad, 12"-19"W Range w/8"Hx13"W pad)
☐ Elbow Stop with Arm Rest
(10"-17"W Range w/8"Hx11"W pad, 12"-19"W Range w/8"Hx13"W pad)  Chest Support (select one)
Padded Positioning Strap (fits circumference up to 35", velcro with D-ring)
☐ Y-Style 17.5"LX11.5"W ☐ Y-Style 20.5"LX12.5"W ☐ Non-Stretch X-Style 11"LX9.5"W ☐ Non-Stretch X-Style 14.5"LX10.5"W
I Non Successiving the Exp.S W II Non Successiving 14.5 Extensiving
☐ Non-Stretch Y-Style 17.5"Lx11.5"W☐ Non-Stretch Y-Style 20.5"Lx12.5"W
☐ Non-Stretch Y-Style 17.5"Lx11.5"W☐ Non-Stretch Y-Style 20.5"Lx12.5"W Head Support (select one)
☐ Non-Stretch Y-Style 17.5"Lx11.5"W☐ Non-Stretch Y-Style 20.5"Lx12.5"W

☐ Clear Trav-21"Lx24"W DEFAULT

☐ 11" Cutout DEFAULT

☐ Black Molded 21"Lx24"W

Elbow Pad (select one) ☐ 9.25" Cutout

USA Effective January 1, 2023 Date: \_

#### **MPS TT Size 2 User Specifications**

Approximate Height Range Weight Limit

40"-60" 154 lbs

# Bill TO (Altimate Medical Supplier Only) Purchase Order #: \_\_\_\_\_ Account #:\_\_\_\_ Ordered By: Name of ATP (Required): Supplier Company: City, State, Zip: Email: Payer Source: Name:\_\_\_\_\_ City, State:

Email form to webquotes@zingstanders.com

### **Altimate** Medical

Ph: 800.342.8968 or 507.697.6393 Fax: 877.342.8968 or 507.697.6900 zingstanders.com

## MPS TT Size 2 Packages

Note: The default items will be added if no selection is made.
Select one one Color
Frame Color (select one)
Green DEFAULT White
Purple Orange
- Turpic - Grange
☐ PK416 Minimum Support Package\$5,010 The minimum support package includes: (no substitutions)
Mast, Platform Foot Plates, Foot Holders, Foot Straps, Calf/Knee Pad with Strap, Planar
Pelvic/Upper Body Pad, Padded Positioning Straps (2), Planar Head Support, Black Molded
Swing Away Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with
Prone Position Lockout.
Foot Holders (select one, pair)
☐ 7.75"LX3.25"W ☐ 9.75"LX4"W DEFAULT ☐ 11.75"LX5"W
FOOT Straps (select one, length over top of foot, two pair)
☐ 10"L ☐ 15"L DEFAULT ☐ 21"L
Pelvic/Upper Body Support (select one)
☐ 19"Hx16"W ☐ 22"Hx16"W default ☐ 25"Hx16"W
Upper Body Padded Positioning Strap (select one, hip circumference)
☐ up to 45" default ☐ up to 57"
Pelvic Padded Positioning Strap (select one, hip circumference)
☐ up to 45" default ☐ up to 57"
☐ PK417 Moderate Support Package\$7,217
The moderate support package includes: (no substitutions)
Mast with Leg Abduction, Multi-Adjustable Foot Plates, Secure Foot Straps, Planar Leg
Pads, Knee Strap, Planar Pelvic/Upper Body Pad, Hip Supports, Padded Positioning Strap,
Lateral Supports, Chest Vest with High Mount Chest Vest Bracket or Upper Body Padded
Positioning Strap, Head Support, Black Molded Swing Away Tray, Elbow Pad, Push Handle,
Four Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position
Lockout.
Multi-Adjustable Foot Plates (select one, pair)  ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W DEFAULT ☐ 11.75"Lx5"W
Secure Foot Straps (select one, length over top of foot, two pair)
☐ 10"L ☐ 15"L DEFAULT ☐ 21"L
Leg_Support-Planar_Pad (select one)
☐ 9"Hx7.5"W ☐ 12"Hx7.5"W default ☐ 15"Hx7.5"W
Pelvic/Upper Body Support-Planar Pad (select one)
☐ 19"HX16"W ☐ 22"HX16"W DEFAULT ☐ 25"HX16"W
Hip Supports (select one range)
7"-13" 10"-16" default
Padded Positioning Strap (select one, hip circumference)
☐ up to 45" default ☐ up to 57"
— <u>—                                   </u>
Lateral Supports (select one)
7"-11"W Range (select pad style below)
☐ Flat Pads ☐ Curved Pads
10"-16"W Range (select pad style below)
☐ Flat Pads ☐ Curved Pads DEFAULT
Chest Support (select one)
Padded Positioning Strap (fits circumference up to 35", velcro with D-ring)
☐ X-Style 11"Lx9.5"W ☐ X-Style 14.5"Lx10.5"W DEFAULT
☐ Y-Style 17.5"Lx11.5"W ☐ Y-Style 20.5"Lx12.5"W
☐ Non-Stretch X-Style 11"Lx9.5"W ☐ Non-Stretch X-Style 14.5"Lx10.5"W
□ Non-Stretch Y-Style 17.5"Lx11.5"W□ Non-Stretch Y-Style 20.5"Lx12.5"W
Head Support (select one)
☐ Planar Pad 9"Hx10"W ☐ 5"Hx8"W ☐ 6"Hx10"W
☐ 7"HX14"W ☐ 5 HX10 W ☐ 6 HX10 W
Elbow Pad (select one)
LIVE CUTOUT LITTE CUTOUT SERVE LITTE CUTOUT

□ PK418 Maximum Support Package\$8,018  The maximum support package includes: (no substitutions)  Mast with Leg Abduction, Dual Control, Gas Spring Lift Lockout, Directional Locking Caster,  Multi-Adjustable Foot Plates, Secure Foot Straps, Planar Leg Pads, Multi-Adjustable Knee  Pads or Posterior Knee Pads, Pelvic/Upper Body Support, Hip Supports, Padded Positioning  Strap, Lateral Supports, Chest Vest with High Mount Chest Vest Bracket or Upper Body  Padded Positioning Strap, Head Support, Swing Away Tray, Elbow Pad, Push Handle, Four  Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver with Prone Position  Lockout.
Multi-Adjustable Foot Plates         (select one, pair)           ☐ 7.75"Lx3.25"W         ☐ 9.75"Lx4"W регарит         ☐ 11.75"Lx5"W
Secure Foot Straps (select one, length over top of foot, two pair)
Leg Support-Planar Pad (select one, not available with posterior knee pads)  ☐ 9"Hx7.5"W ☐ 12"Hx7.5"W DEFAULT ☐ 15"Hx7.5"W
Knee Pads (select one)    Multi-Adjustable Knee Pads (select inside width below)   3.25"
☐ 19"HX16"W ☐ 22"HX16"W DEFAULT ☐ 25"HX16"W  Hip Supports (select one range)
☐ 7"-13" ☐ 10"-16" DEFAULT  Padded Positioning Strap (select one, hip circumference) ☐ up to 45" DEFAULT ☐ up to 57"
Lateral Supports (select one)  ☐ 7"-11"W Range (select pad style below) ☐ Flat Pads ☐ Curved Pads ☐ 10"-16"W Range (select pad style below) ☐ Flat Pads ☐ Curved Pads DEFAULT
Chest Support (select one)
☐ Padded Positioning Strap (fits circumference up to 35", velcro with D-ring) ☐ X-Style 11"Lx9.5"W ☐ X-Style 14.5"Lx10.5"W □ EFAULT ☐ Y-Style 17.5"Lx11.5"W ☐ Y-Style 20.5"Lx12.5"W ☐ Non-Stretch X-Style 11"Lx9.5"W ☐ Non-Stretch X-Style 14.5"Lx10.5"V ☐ Non-Stretch Y-Style 17.5"Lx11.5"W ☐ Non-Stretch Y-Style 20.5"Lx12.5"V  Head Support (select one)
1
Multi-Adjustable Tray (select one)
☐ Black Molded 21"Lx24"W ☐ Clear Tray-21"Lx24"W DEFAULT
Elbow Pad (select one) ☐ 9.25" Cutout ☐ 11" Cutout DEFAULT ☐ 13" Cutout

USA Effective January 1, 2023 Date: \_

#### **Prone Size 2 User Specifications**

Approximate Height Range Weight Limit

40"-60" 154 lbs

Bill TO (Altimate Medical Supplier Only)
Purchase Order #:
Quote #:
Account #:
Ordered By:
Name of ATP (Required):
Supplier Company:
Address:
City, State, Zip:
Phone:
Email:
Payer Source:
Ship To
Name:
Address:
Address:
City, State:
Zip:
Phone:
Tag For:

Email form to webquotes@zingstanders.com

### **Altimate** Medical

Ph: 800.342.8968 or 507.697.6393 Fax: 877.342.8968 or 507.697.6900 zingstanders.com

## **Prone Size 2 Packages**

Note: The default items will be added if no selection is made.
Select one one Color
Frame Color (select one)  Green DEFAULT White Purple Orange
☐ PK419 Minimum Support Package\$4,762
The minimum support package includes: (no substitutions) Mast, Platform Foot Plate, Foot Holders, Foot Straps, Calf/Knee Pad with Strap, Form to Fit Pelvic Pad, Padded Positioning Strap (2), Form to Fit Upper Body Pad, Black Molded Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver.
Foot Holders (select one, pair)  ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W DEFAULT ☐ 11.75"Lx5"W
Foot Straps (select one, length over top of foot, two pair)
☐ 10"L ☐ 15"L default ☐ 21"L
Pelvic Support-Form to Fit Pad (select one)
☐ 10"Hx11"W ☐ 10"Hx13"W default
Upper Body Support-Form to Fit Pad (select one)  ☐ 5"Hx12"W ☐ 6"Hx13"W  ☐ 7"Hx12"W ☐ 10"Hx13"W DEFAULT
☐ PK420 Moderate Support Package\$6,723
The moderate support package includes: (no substitutions)
Mast with Leg Abduction, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pads, Knee Strap, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap (2), Planar Upper Body Pad, Lateral Supports, Face Aperture, Black Molded Tray, Elbow Pad, Push Handle for Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver.
Multi-Adjustable Foot Plates (select one, pair)
☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W default ☐ 11.75"Lx5"W
Secure Foot Straps (select one, length over top of foot, two pair)  10"L
Multi-Adjustable Knee Pads (select one, inside width)  □ 3.25" □ 4.25" □ perault □ 5"
Pelvic Support-Planar Pad (select one)
☐ 10"HX11"W ☐ 10"HX13"W default
Hip Supports (select one range)  ☐ 7"-13" ☐ 12"-18" DEFAULT
Upper Body Support-Planar Pad (select one)
☐ 5"HX7"W ☐ 5"HX9"W DEFAULT
☐ 7"Hx7"W ☐ 7"Hx9"W

Lateral Supports (select one)

☐ Flat Pads ☐ Curved Pads DEFAULT

7"-12"W Range with 7"W Pad, 9"-14"W Range with 9"W Pad

The maximum support package includes: (no substitutions) Mast with Leg Abduction, Dual Control, Gas Spring Lift Lockout, Directional Locking Caster, Multi-Adjustable Foot Plates, Secure Foot Straps, Multi-Adjustable Knee Pads, Knee Strap, Planar Pelvic Pad, Hip Supports, Padded Positioning Strap (2), Planar Upper Body Pad, Lateral Supports, Face Aperture, Multi-Adjustable Tray, Elbow Pad, Push Handle for Tray, Swivel Locking Casters, Foot Operated Gas Spring, Mast Receiver. Multi-Adjustable Foot Plates (select one, pair) ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W default ☐ 11.75"Lx5"W Secure Foot Straps (select one, length over top of foot, two pair) ☐ 10"L ☐ 15"L DEFAULT ☐ 21"L Multi-Adjustable Knee Pads (select one, inside width) ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5" Pelvic Support-Planar Pad (select one) ☐ 10"Hx11"W
☐ 10"Hx13"W default Hip Supports (select one range) ☐ 7"-13" ☐ 12"-18" DEFAULT Upper Body Support-Planar Pad (select one) ☐ 5"Hx7"W 5"HX9"W DEFAULT ☐ 7"Hx7"W ☐ 7"Hx9"W Lateral Supports (select one) ☐ Flat Pads ☐ Curved Pads DEFAULT 7"-12"W Range with 7"W Pad, 9"-14"W Range with 9"W Pad Multi-Adjustable Tray (select one) ☐ Black Molded 21"Lx24"W ☐ Clear Tray-21"Lx24"W DEFAULT Elbow Pad (select one) ☐ 9.25" Cutout ☐ 11" Cutout DEFAULT ☐ 13" Cutout

□ PK421 Maximum Support Package......\$7,343